

Introducing The most profitable investment: Your ideas.

>> rapid-e enables you transforming ideas into results



Agenda

- Preparations in QAD
 - Parameters
 - Setup "Channels"
 - Setup "Display Styles" for Browses
 - Run Geo-Coding for Suppliers and Customers
 - Confirm "Mobile Knocks" from devices and users
- On Mobile / Tablet
 - Use Browses and Favorites
 - "Channels" to control QAD Maint. screens
 - Location based services



- Design Goals (1)
 - No data on mobile device
 - Re-use existent QAD functions (Browse definitions)
 - Connect to any QAD DB that uses domains (eB2.1 upward)
 - Simplicity, minimalistic
 - Enable Barcode scans
 - Add location data (lat./long.) to any transaction in QAD
 - Introduce smart functions basing on geo-data




Solution

- All written in Progress
- No QAD source code needed
- No additional database tables, new records reside in usrw_wkfl
- No need to program something, works "out of the package"
- Architecture is very open, easy to extent




Parameter Mobile / Tablet




Initial or fallback values




Geocoding of Customers and Suppliers








Geocoding Results (in QAD)






Defining "Browse Styles"



Color, Font, Dimensions (rows, columns)




Browsing "Browse Styles"






Defining "Channels" (1): Pick a program to feed...



Choose fields the mobile device must fill with values



Defining "Channels" (2): describe control sequence



• Input fields need: <u>label terms</u>, <u>names</u> and <u>standard values</u>




- Defining "Channels" (3)
 - Label term, input field name: obtained from QAD ("CTRL-F")
 - Standard values: constants
 - Standard values: <u>variables</u> with values <u>calculated from device location</u>:
 - cust_addr, cust_name, cust_line1, cust_line2, cust_line3, cust_zip, cust_city, cust_ctry (if selected location is customer)
 - Same for: vend (if selected location is supplier/vendor)
 - Same for: current_ (if selected location is current location)

Defining "Channels" (4): Result on target device

PM P	<u> </u>	
Back QAD App	Channel Domain SI iclotr02.p Transi	fer -Single Item
Item	1006697	Scan
Quantity to Transfer	3	Scan
From Site	1	Scan C Lookup
From Location	AL2	Scan C Lookup
To Site	1	Scan C Lookup
To Location	F3L04	Scan C Lookup
	Go!	




Defining "Channels" (5): View processing results






Browsing "Channels"



Login-Screen on a tablet device



rapid-e

QAD Applications on Tablet & Mobile

Security


- 1. User "knocks" at QAD asking:
 - User ID, Domain, Device ID (GUID-like),
 - Date-time and
 - geo-code!
- 2. QAD Admin uses Browse + Maint. Screen to confirm "knock"
- Once confirmed a mobile user access is limited to:
 - Domain
 - one specific device

Rules:

- QAD Admin may un-confirm at any time
- One user many devices
- User actions (last browse, last record viewed) can be tracked by location
- Location dependent data visibility or menu activity can be provided




Security: Browse "Mobile Device Requests"






Security: Browse "Mobile Device Requests"





Menu screen






Browses

PM P	<u> </u>		
Back	QAD App Browses Domain SI mg003 Bro	wse Definitions	
★			Q
Name	Description	View	
ab001	Customer Order Processing	vwab001	
ad001	Customers	vwad001	
ad002	Customer/Supplier Banks	ad_mstr	
ad005	Dock Addresses	admstr06	
ad006	Employees	emp_mstr	
ad007	End User Addresses	vwad007	
ad008	Address List Types	lsmstr01	
ad009	Supplier Remit-Tos	admstr02	
ad010	Salespersons	spmstr01	
ad011	Commission Detail	spmstr02	
ad014	Suppliers	vdmstr01	
ad015	Country Codes	ctry_mstr	
ad016	Rounding Methods	rnd_mstr	
ad022	Carriers	admstr08	
ad023	Customers and Ship-Tos	Ismstr03	
ad024	External Address References	adxdet	
ad026	Credit Ratings	code_mstr	
ad027	Ship Vias	code_mstr	
ad030	Allowed Values	Ingd_det	
ad031	Bank Addresses	csbddet01	


Favorites (Search and parent values stored)



Fulltext search, filtering for "THE NETHERLANDS"

Pod G		_	<u> </u>			
Back		QAD App Bro	wse Domain	SI ad001 Kui	nden	
THE	NETHERLANDS					Q
Customer	Sort Name	Telephone	City	State	Postal Code	Region
	Country	Bill To	Туре	County	Added	Site
05029572	INSTITUT COLLE	0031203054545	Amsterdam		1071 EA	СН
	THE NETHERLANDS		EG		01/09/04	1
05029693	Shell Nederland	00311043199111	Hoogvliet		3190 GE	СН
	THE NETHERLANDS		EG		01/22/04	1
05029940	Glasinstrumentm	0031545293211	AC NEEDE		7161	СН
	THE NETHERLANDS		eg		02/18/04	1
05030056	Faculteit der Nat	0031243653243	Nijmegen		6500 GL	СН
	THE NETHERLANDS		EG		03/02/04	1
05030293	Technische Univ	0031402474487	Eindhoven		5612 AZ	СН
	THE NETHERLANDS		EG		03/31/04	1
05030422	Nederlands Instit	0031205665500	Amsterdam		1105 AZ	СН
	THE NETHERLANDS		eg		04/23/04	1
05030613	Vaessen Schoem		Deventer		7418 EV	СН
E M990 M (855 M) PV00 M(1) (1)	THE NETHERLANDS		EG		05/26/04	1
05030713	CCL BV	0031413382633	Veghel		5462 GE	СН
L = 100 (00 to 10 T)	THE NETHERLANDS		EG		06/15/04	<u> </u>
05030730	VWR Internation	0031204808400	Amsterdam		1034 AP	СН
	THE NETHERLANDS		EG		06/17/04	1
05030790	Teijin Aramid BV	0031596648632	Delfzijl		9930AD	СН
	THE NETHERLANDS		EG		06/29/04	1
05030819	S.D.I. B.V.	0031455665527	Heerlen		6422 PD	СН
	THE NETHERLANDS		EG		07/01/04	1
05030821		0031524536010	Schoonebeek		7761 AC	СН
	THE NETHERLANDS		EG		07/01/04	-1

Channels: Control QAD Maintenance Programs





Channels: Control QAD Maintenance Programs

Pag 6	<u> </u>	
Back QAD App	Channel Domain SI iclotr02.p Tra	ansfer -Single Item
ltem	1006697	Scan
Quantity to Transfer	3	Scan
From Site	1	Scan C Lookup
From Location	AL2	Scan Cookup
To Site	1	Scan Cookup
To Location	F3L04	Scan Cookup
	Goi	




Channels: Control QAD Maintenance Programs






rapid-e QAD Applications on Tablet & Mobile

- Location of device is obtained
- Automatically:
 - Identify customer or supplier at current location
 - Use address data to assign values to input fields
- Tap on map icon to get list of actions for customer / supplier / current location
- ALL transactions within QAD can be tagged with location code
- Full access to MAP, ROUTE and other API's of Google
- All coded in PROGRESS 4 GL (very compact code)








Location based services: Actions for selected Map Icon

		<u> </u>
Back Location Base	d Services Domain SI 05036141 Tec	hnical Service Lab xm003 CHANNEL_LIST
★		Q
Domain	Channel Codes	Description
SI	apvniq.p	Abfrage Kreditoren-Konto
SI	arcsiq.p	Abfrage Debitorenkonto (alt)
SI	euarcsiq.p	Abfrage Debitorenkonto
SI	iclotr02.p	Transfer -Single Item
SI	mgcodemt.p	Pflege Kennziffern
SI	soivrp10.p	Invoice Reprint
SI	sosorp05.p	QAD Sales Order print StreamSe
SI	xmcisiq.p	Vertriebsinfosystem CIS

Device Location → QAD address found → values assigned



rapid-e


QAD Applications on Tablet & Mobile

Enhanced "Customer" browse with detail frame (right)





Sales orders and latest AR invoices (descending order)



Edit and save customer records on the move

Per Vision			-
Back	E.ON Ru	hrgas	
	Number: (05029280)		
	Name: E.ON Ruhrga		
	Address: Abt. KER		
	> Geb. A. Raum	1629	
	City (Essen		
	State <unknown></unknown>		
	Postcode: 45138		
	Country: DE		
	Contact		
	Phone: 02011843516		
	eMail (info@rapid-e		
	Fax (02011843541		
	Salesrepr EX04	V	
	Terms: GE001	▼	
	Limit (5000		
	Balance: 0		
	Discount (o		

rapid-e

QAD Applications on Tablet & Mobile

Detail view: lines of a sales order

Back	Order 44579	
003 - pHE PH/ATC Elec 300728.1 3007281		
Group: 01 Status: ACT		
100.00 x 0.00 USD - ??? = 0.00 USD		
001 - PH/ATC Elec 300901.1 3009011 Group: Status: ACT		
25.00 x 0.00 USD - ??? = 0.00 USD		
002 - pHE PH/ATC Elec 300728.1 3007281		
Group: 01 Status: ACT		
50.00 x 0.00 USD - ??? = 0.00 USD		
003 - pHE PH/ATC Elec 300729.1 3007291		
Group: 01 Status: ACT		
100.00 x 0.00 USD - ??? = 0.00 USD		



Do more with your QAD installation!

- Design *browses* in QAD once saved and they appear automatically on Tablet PC and Smartphone.
- Forms designed to save data or update records in QAD database base on simple settings within QAD ("Channels")
- "Homegrown" *maint. programs* can be developed very similar to a normal QAD program only a minimum of practice required.
- Location data smartly used to simplyfy interaction with QAD
- No additional QAD licenses!
- Multiple languages used as installed with QAD language pack
- Connected to QAD server via VPN in realtime!
- App. Available for: Android, iOS, Blackberry
- Server components available for: MFG/PRO eB2 up to QAD 2012SE and EE



No Games - Pure PROGRESS 4GL

```
oMap:START-MULTI-LOCATION-OPERATION().
FOR EACH geocode where geocode.usrw domain = sessionDomain and
                       geocode.usrw key3 >= chLoLat
                                                           and
                       geocode.usrw key3 <= chHiLat</pre>
                                                           and
                       geocode.usrw_key4 >= chLoLong
                                                           and
                       geocode.usrw key4 <= chHiLong
NO-LOCK:
   find vd_mstr where vd_domain = sessionDomain and
                      vd addr = geocode.usrw charfld[3]
  no-lock no-error.
   if avail vd mstr then
      chText = vd addr + "|" + vd_sort.
   oMap:ADD-LOCATION(chText, geocode.usrw decfld[1],
                             geocode.usrw decfld[2],
                             oAdrLocIcon ).
   thisSession:logLine(5, "Map:Vendor added: " + chText).
end.
oMap:FINISH-MULTI-LOCATION-OPERATION().
```



Curious now?

Unfortunately this is the end of our presentation. However, we like to be quized about it. Please do not hesitate inquiring.



Annaberger Straße 73 **D - 09111 Chemnitz**

Telefon: +49 (0) 371 520408-0 Telefax: +49 (0) 371 520408-9

eMail: info@rapid-e.de Internet: www.rapid-e.de